

This document contains literature related to the paper *Analysis of Process Model Reuse Literature: Are Research Concepts Empirically Validated?*

Literature

- [1] Aldin, L., de Cesare, S. (2011). A literature review on business process modelling: new frontiers of reusability. *Enterprise Information Systems*, 5(3): 359–383.
- [2] Aldin, L., de Cesare, S., Lycett, M. (2009). A Semantic-Based Framework for Discovering Business Process Patterns. In 6th International Workshop on Ontology-Driven Software Engineering (ODiSE).
- [3] Awad, A., Sakr, S., Kunze, M., Weske, M. (2011). Design by Selection: A Reuse-Based Approach for Business Process Modeling. In M. Jeusfeld, L. Delcambre, & T.-W. Ling (Eds.), *Conceptual Modeling – ER 2011* (Vol. 6998, pp. 332–345). Springer Berlin Heidelberg.
- [4] Baier, T., Pascalau, E., Mendling, J. (2010). On the Suitability of Aggregated and Configurable Business Process Models. In I. Bider, T. Halpin, J. Krogstie, S. Nurcan, E. Proper, R. Schmidt, & R. Ukor (Eds.), *Enterprise, Business-Process and Information Systems Modeling* (Vol. 50, pp. 108–119). Springer Berlin Heidelberg.
- [5] Barat, S., Kulkarni, V., Janakiram, D. (2006). A safety criterion for reusing a business process in the desired integrated. In *Proceedings of the IEEE International Conference on Services Computing* (pp. 381–389). Washington, DC, USA: IEEE Computer Society.
- [6] Barros, O. (2007). Business process patterns and frameworks: Reusing knowledge in process innovation. *Business Process Management Journal*, 13(1): 47–69.
- [7] Becker, J., Beverungen, D., Knackstedt, R., Matzner, M. (2009). Configurative Service Engineering - A Rule-Based Configuration Approach for Versatile Service Processes in Corrective Maintenance. In *Proceedings of the 42nd Hawaii International Conference on System Sciences* (pp. 1–10). Washington, DC, USA: IEEE Computer Society.
- [8] Becker, J., Delfmann, P., Knackstedt, R. (2007). Adaptive Reference Modeling: Integrating Configurative and Generic Adaptation Techniques for Information Models. In J. Becker & P. Delfmann (Eds.), *Reference Modeling* (pp. 27–58). Physica-Verlag HD.
- [9] Bessai, K., Claudepierre, B., Saidani, O., Nurcan. (2008). Context-aware Business Process Evaluation and Redesign. In *Int. Workshop on Business Process Management, Design and Support*, at *Int. Conference on Advanced Information Systems*.
- [10] Bögl, A., Kobler, M., Schrefl, M. (2006). Wiederverwendung von Prozessmodellen. In K. Fink & C. Ploder (Eds.), *Wirtschaftsinformatik als Schlüssel zum Unternehmenserfolg* (pp. 137–152).
- [11] Cerovsek, T., Katranuschkov, P. (2006). Active process reuse model for collaboration. *ITcon*, 11(Special Issue Process Modelling, Process Management and Collaboration), 467–488. Retrieved from <http://www.itcon.org/2006/35>
- [12] Ciuksys, D., Caplinskas, A. (2007). Reusing Ontological Knowledge about Business Processes in IS Engineering: Process Configuration Problem. *Informatica*, 18(4): 585–602.

- [13] De Vries, M., van der Merwe, A., Kotzé, P., Gerber, A. (2011). A method for identifying process reuse opportunities to enhance the operating model. In IEEE International Conference on Industrial Engineering and Engineering Management (IEEM) (pp. 1005–1009).
- [14] Decker, G., Overdick, H., Weske, M. (2008). Oryx --- An Open Modeling Platform for the BPM Community. In Proceedings of the 6th International Conference on Business Process Management (pp. 382–385).
- [15] Derguech, W., Bhiri, S. (2011). An Automation Support for Creating Configurable Process Models. In A. Bouguettaya, M. Hauswirth, & L. Liu (Eds.), Web Information System Engineering – WISE 2011 (Vol. 6997, pp. 199–212).
- [16] Dirgahayu, T., Quartel, D., van Sinderen, M. (2007). Development of transformations from business process models to implementations by reuse. In 3rd International Workshop on Model-Driven Enterprise Information Systems, MDEIS.
- [17] Eid-Sabbagh, R.-H., Kunze, M., Weske, M. (2012). An Open Process Model Library. In F. Daniel, K. Barkaoui, & S. Dustdar (Eds.), Business Process Management Workshops (Vol. 100, pp. 26–38).
- [18] Ekanayake, C. C., Rosa, M. La, Ter Hofstede, A. H. M., Fauvet, M.-C. (2011). Fragment-based version management for repositories of business process models. In Proceedings of the 2011th Confederated international conference on On the move to meaningful internet systems - Volume Part I (pp. 20–37).
- [19] Elhadad, M., Balaban, M., Sturm, A. (2008). Effective Business Process Outsourcing: The Prosero Approach. International Journal of Interoperability in Business Information Systems, 3(1): 8–31.
- [20] Elias, M., Johannesson, P. (2012). A Survey of Process Model Reuse Repositories. In S. Dua, A. Gangopadhyay, P. Thulasiraman, U. Straccia, M. Shepherd, & B. Stein (Eds.), 6th International Conference on Information Systems, Technology and Management (Vol. 285, pp. 64–76).
- [21] Elias, M., Shahzad, K. (2010). Using Multi-criteria Decision Making to Choose Process Representation Format for a Process Repository. In W. Abramowicz, R. Tolksdorf, & K. Węcel (Eds.), Business Information Systems Workshops (Vol. 57, pp. 19–24).
- [22] Elias, M., Shahzad, K., Johannesson, P. (2010). A Business Process Metadata Model for a Process Model Repository. In I. Bider, T. Halpin, J. Krogstie, S. Nurcan, E. Proper, R. Schmidt, & R. Ukor (Eds.), Enterprise, Business-Process and Information Systems Modeling (Vol. 50, pp. 287–300).
- [23] Fettke, P., Loos, P. (2002). Methoden zur Wiederverwendung von Referenzmodellen - Übersicht und Taxonomie. In Referenzmodellierung 2002, Multikonferenz Wirtschaftsinformatik (pp. 9 – 33).
- [24] Fiorini, S. T., do Prado Leite, J. C. S., de Lucena, C. J. (2001). Process Reuse Architecture. In K. Dittrich, A. Geppert, & M. Norrie (Eds.), Advanced Information Systems Engineering (Vol. 2068, pp. 284–298).
- [25] Franch, X., Ribó, J. (2003). A UML-Based Approach to Enhance Reuse within Process Technology. In F. Oquendo (Ed.), Software Process Technology (Vol. 2786, pp. 74–93).

- [26] Gao, S., Krogstie, J. (2010). A Repository Architecture for Business Process Characterizing Models. In P. Bommel, S. Hoppenbrouwers, S. Overbeek, E. Proper, J. Barjis (Eds.), *The Practice of Enterprise Modeling* (Vol. 68, pp. 162–176).
- [27] García, J., Amescua, A., Sánchez, M.-I., Bermón, L. (2011). Design guidelines for software processes knowledge repository development. *Inf. Softw. Technol.*, 53(8): 834–850.
- [28] Gacitua-Decar, V., Pahl, C. (2009). Automatic Business Process Pattern Matching for Enterprise Services Design. In *2009 World Conference on Services - II* (Vol. 0, pp. 111–118). Los Alamitos.
- [29] Großkopf, A., Brunnert, J., Wehrmeyer, S., Weske, M. (2009). BPMNCommunity.org: A Forum for Process Modeling Practitioners - A Data Repository for Empirical BPM Research. In *Business Process Management Workshops* (pp. 525–528).
- [30] Hallerbach, A., Bauer, T., Reichert, M. (2010). Capturing variability in business process models: the Provop approach. *Journal of Software Maintenance and Evolution: Research and Practice*, 22(6-7): 519–546.
- [31] Herwig, S., Stein, A. (2009). Enabling Widespread Configuration of Conceptual Models - An XML Approach. In *Business Process Management Workshops* (pp. 659–670).
- [32] Holschke, O. (2010). Impact of Granularity on Adjustment Behavior in Adaptive Reuse of Business Process Models. In R. Hull, J. Mendling, S. Tai (Eds.), *Business Process Management* (Vol. 6336, pp. 112–127).
- [33] Holschke, O., Rake, J., Levina, O. (2009). Granularity as a Cognitive Factor in the Effectiveness of Business Process Model Reuse. In U. Dayal, J. Eder, J. Koehler, H. Reijers (Eds.), *Business Process Management* (Vol. 5701, pp. 245–260).
- [34] Iochpe, C., Chiao, C., Hess, G., Nascimento, G. S., Thom, L. H., Reichert, M. (2007). Towards an Intelligent Workflow Designer based on the Reuse of Workflow Patterns. In *1st Brazilian Workshop on Business Process Management*. Brazil: Brazilian Computer Society.
- [35] Jacobs, D., Kotze, P., Van Der Merwe, A. (2009). Towards an enterprise repository framework. In *1st International Workshop on Advanced Enterprise Repositories (AER 2009)* (pp. 77 – 89).
- [36] Jin, T., Wang, J., Wu, N., Rosa, M., Hofstede, A. M. (2010). Efficient and Accurate Retrieval of Business Process Models through Indexing. In R. Meersman, T. Dillon, P. Herrero (Eds.), *On the Move to Meaningful Internet Systems: OTM 2010* (Vol. 6426, pp. 402–409).
- [37] Koschmider, A., Hornung, T., Oberweis, A. (2011). Recommendation-based editor for business process modeling. *Data & Knowledge Engineering*, 70(6): 483–503.
- [38] Kumar, A., Yao, W. (2012). Design and management of flexible process variants using templates and rules. *Computers in Industry*, 63(2): 112–130.
- [39] La Rosa, M., Dumas, M. (2008). Configurable Process Models : How to Adopt Standard Practices in Your Own Way? BPTrends. Retrieved from [http://www.bptrends.com/publicationfiles/11-08-ART-Configurable Process Models-LaRosaDumas.doc-final.pdf](http://www.bptrends.com/publicationfiles/11-08-ART-Configurable%20Process%20Models-LaRosaDumas.doc-final.pdf)
- [40] La Rosa, M., Dumas, M., ter Hofstede, A. H. M., Mendling, J. (2011). Configurable multi-perspective business process models. *Information Systems*, 36(2): 313–340.

- [41] La Rosa, M., Reijers, H. A., van der Aalst, W. M. P., Dijkman, R. M., Mendling, J., Dumas, M., García-Bañuelos, L. (2011). APROMORE: An advanced process model repository. *Expert Syst. Appl.*, 38(6): 7029–7040.
- [42] Lam, W., Shankararaman, V., Robinson, B. (2000). A process framework for the systematic evaluation and diffusion of reuse methods. In *Australian Software Engineering Conference 2000* (pp. 73–83).
- [43] Lin, Y., Strasunskas, D. (2005). Ontology-based Semantic Annotation of Process Templates for Reuse. In *Tenth International Workshop on Exploring Modeling Methods in Systems Analysis and Design* (pp. 593 – 604).
- [44] Lu, R., Sadiq, S. (2007). On the Discovery of Preferred Work Practice Through Business Process Variants. In C. Parent, K.-D. Schewe, V. Storey, B. Thalheim (Eds.), *Conceptual Modeling - ER 2007* (Vol. 4801, pp. 165–180).
- [45] Lu, R., Sadiq, S., Governatori, G. (2009). On managing business processes variants. *Data & Knowledge Engineering*, 68(7): 642–664.
- [46] Ma, Z., Leymann, F. (2008). A Lifecycle Model for Using Process Fragment in Business Process Modeling. In *Proceedings of the 9th Workshop on Business Process Modeling, Development, and Support (BPDMS 2008)* (pp. 1–9), Montpellier.
- [47] Ma, Z., Wetzstein, B., Anicic, D., Heymans, S., Leymann, F. (2007). Semantic Business Process Repository. In M. Hepp, K. Hinkelmann, D. Karagiannis, R. Klein, N. Stojanovic (Eds.), *Proceedings of the International Workshop on Semantic Business Process Management (SBPM 2007)* (Vol. 251).
- [48] Makni, L., Haddar, N. Z., Ben-Abdallah, H. (2011). Semantic Design Patterns for Business Processes. In *Proceedings of the 6th International Conference on Software and Data Technologies (ICSOFT)* (pp. 83–87).
- [49] Markovic, I., Pereira, A. C. (2008). Towards a formal framework for reuse in business process modeling. In *Proceedings of the 2007 international conference on Business process management* (pp. 484–495).
- [50] Motahari-Nezhad, H., Graupner, S., Bartolini, C. (2011). A Framework for Modeling and Enabling Reuse of Best Practice IT Processes. In M. Muehlen J. Su (Eds.), *Business Process Management Workshops* (Vol. 66, pp. 226–231).
- [51] Mou, Y., Cao, J., Zhang, S. (2004). A process component model for enterprise business knowledge reuse. In *Proceedings of IEEE International Conference on Services Computing (SCC)* (pp. 409–412).
- [52] Narendra, N. C., Ponnalagu, K., Gangadharan, G. R., Truong, H. L., Dustdar, S., Ghose, A. K. (2012). Effective Reuse via Modeling, Managing and Searching of Business Process Assets. In *Ninth International Conference on Services Computing* (pp. 462–469).
- [53] Nguyen, T., Colman, A., Han, J. (2011). Modeling and Managing Variability in Process-Based Service Compositions. In G. Kappel, Z. Maamar, H. Motahari-Nezhad (Eds.), *Service-Oriented Computing* (Vol. 7084, pp. 404–420).
- [54] Niemann, M., Siebenhaar, M., Schulte, S., Steinmetz, R. (2012). Comparison and retrieval of process models using related cluster pairs. *Computers in Industry*, 63(2): 168–180.

- [55] Ou, L., Peng, H. (2006). XML and Knowledge Based Process Model Reuse and Management in Business Intelligence System. In H. Shen, J. Li, M. Li, J. Ni, W. Wang (Eds.), *Advanced Web and Network Technologies, and Applications* (Vol. 3842, pp. 117–121).
- [56] Recker, J., Mendling, J., van der Aalst, W., Rosemann, M. (2006). Model-driven enterprise systems configuration. In *Proceedings of the 18th international conference on Advanced Information Systems Engineering* (pp. 369–383).
- [57] Recker, J. C., Rosemann, M., van der Aalst, W. M. P., Jansen-Vullers, M. H., Dreiling, A. (2009). Configurable reference modeling languages. In A. Bajaj S. Wrycza (Eds.), *Systems Analysis and Design for Advanced Modeling Methods : Best Practices* (pp. 180–201).
- [58] Reinhartz-Berger, I., Soffer, P., Sturm, A. (2005). A Domain Engineering Approach to Specifying and Applying Reference Models. In *Enterprise Modelling and Information Systems Architectures (EMISA)* (pp. 50–63).
- [59] Reinhartz-Berger, I., Soffer, P., Sturm, A. (2010). Extending the Adaptability of Reference Models. *IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans*.
- [60] Reijers, H. A., Mans, R. S., van der Toorn, R. A. (2009). Improved model management with aggregated business process models. *Data & Knowledge Engineering*, 68(2): 221–243.
- [61] Reis, R. Q., Reis, C. A. L., Nunes, D. J. (2001). Automated Support for Software Process Reuse: Requirements and Early Experiences with the APSEE Model. In *Proceedings of the Seventh International Workshop on Groupware* (pp. 50–57), Washington.
- [62] Rivas, D., Corchuelo, D., Figueroa, C., Corrales, J., Giugno, R. (2011). Business Process Model Retrieval Based on Graph Indexing Method. In M. Muehlen J. Su (Eds.), *Business Process Management Workshops* (Vol. 66, pp. 238–250).
- [63] Rodrigues Nt, J. A., Souza, J. M., Zimbrão, G., Xexéo, G., Neves, E., Pinheiro, W. A. (2006). A P2P Approach for Business Process Modelling and Reuse. In J. Eder S. Dustdar (Eds.), *Business Process Management Workshops* (Vol. 4103, pp. 297–307).
- [64] Rolland, C., & Prakash, N. (2007). On the adequate modeling of business process families. In *8th Workshop on Business Process Modeling, Development, and Support (BPMDS)*.
- [65] Rupprecht, C., Peter, G., Rose, T. (1999). A model-driven approach for context-specific individualization of process models. *Wirtschaftsinformatik*, 41(3): 226–237.
- [66] Ru-Zhi, X., Tao, H., Dong-Sheng, C., Yun-Jiao, X., Le-Qiu, Q. (2005). Reuse-oriented process component representation and retrieval. In *the Fifth International Conference on Computer and Information Technology, CIT 2005*. (pp. 911–915).
- [67] Schumm, D., Karastoyanova, D., Leymann, F., Strauch, S. (2011). Fragmento: Advanced Process Fragment Library. In J. Pokorny, V. Repa, K. Richta, W. Wojtkowski, H. Linger, C. Barry, M. Lang (Eds.), *Information Systems Development* (pp. 659–670).
- [68] Schumm, D., Turetken, O., Kokash, N., Elgammal, A., Leymann, F., Van Den Heuvel, W.-J. (2010). Business process compliance through reusable units of compliant processes. In *Proceedings of the 10th international conference on Current trends in web engineering* (pp. 325–337).
- [69] Shahzad, K., Andersson, B., Bergholtz, M., Edirisuriya, A., Ilayperuma, T., Jayaweera, P., Johannesson, P. (2009). Elicitation of Requirements for a Business Process Model Repository. In

- D. Ardagna, M. Mecella, J. Yang (Eds.), *Business Process Management Workshops* (Vol. 17, pp. 44–55).
- [70] Shahzad, K., Elias, M., Johannesson, P. (2009). Towards Cross Language Process Model Reuse – A Language Independent Representation of Process Models. In A. Persson J. Stirna (Eds.), *The Practice of Enterprise Modeling* (Vol. 39, pp. 176–190).
- [71] Smirnov, S., Weidlich, M., Mendling, J., Weske, M. (2012). Action patterns in business process model repositories. *Computers in Industry*, 63(2): 98–111.
- [72] Soffer, P., Reinhartz-Berger, I., Sturm, A. (2007). Facilitating Reuse by Specialization of Reference Models for Business Process Design. In 8th Workshop on Business Process Modeling, Development, and Support (BPMDS).
- [73] Thom, L. H., Lau, J. M., Iochpe, C., Mendling, J. (2007). Extending Business Process Modeling Tools with Workflow Pattern Reuse. In *International Conference on Enterprise Information Systems ICEIS* (pp. 447–452).
- [74] Thom, L., Reichert, M., Chiao, C. M., Iochpe, C., Hess, G. N. (2008). Inventing Less, Reusing More and Adding Intelligence to Business Process Modeling. In 19th International Conference on Database and Expert Systems Applications (DEXA '08) (pp. 837–850).
- [75] Thom, L., Reichert, M., Iochpe, C. (2009). Activity Patterns in Process-aware Information Systems: Basic Concepts and Empirical Evidence. *International Journal of Business Process Integration and Management (IJBPIIM)*, 4(2): 93–110.
- [76] Thomas, O., Scheer, A. (2006). Tool Support for the Collaborative Design of Reference Models - A Business Engineering Perspective. In *Proceedings of the 39th Annual Hawaii International Conference on System Sciences (HICSS)*.
- [77] Torres, V., Zugal, S., Weber, B., Reichert, M., Ayora, C., Pelechano, V. (2012). A Qualitative Comparison of Approaches Supporting Business Process Variability. In 3rd Intl Workshop on Reuse in Business Process Management (rBPM 2012).
- [78] Tran, H. N., Coulette, B., Narbonne, D. (2011). Automatic Reuse of Process Patterns in Process Modeling. In *Proceedings of the 2011 ACM Symposium on Applied Computing (SAC '11)* (pp. 1431–1438).
- [79] Tran, H. N., Coulette, B., Thuy, D. T. B. (2007). Broadening the Use of Process Patterns for Modeling Processes. In *Proceedings of the Nineteenth International Conference on Software Engineering & Knowledge Engineering (SEKE'2007)* (pp. 57–62).
- [80] Van Der Aalst, W. M. P., Ter Hofstede, A. H. M., Kiepuszewski, B., Barros, A. P. (2003). Workflow Patterns. *Distrib. Parallel Databases*, 14(1): 5–51.
- [81] Vom Brocke, J., Buddendick, C. (2006). Reusable Conceptual Models - Requirements Based on the Design Science Research Paradigm. In *Proceedings of the First International Conference on Design Science Research in Information Systems and Technology (DESRIST 2006)* (pp. 576–604).
- [82] Vom Brocke, J., Thomas, O. (2006). Reference Modeling for Organizational Change: Applying Collaborative Techniques for Business Engineering. In 12th Americas Conference on Information Systems (AMCIS) (pp. 680 – 688).

- [83] Vulcu, G., Derguech, W., Bhiri, S. (2011). Business Process Model Discovery Using Semantics. In M. Muehlen J. Su (Eds.), *Business Process Management Workshops* (Vol. 66, pp. 326–337).
- [84] Wang, C., He, K., Zhu, W., Feng, Z., Yan, Y., Yan, W. (2010). Personalized Reuse of Business Process through the Metamodel for Process Model Registration. In *9th International Conference on Grid and Cooperative Computing (GCC)*, (pp. 438–443).
- [85] Yan, Z., Dijkman, R., Grefen, P. (2012). FNet: An Index for Advanced Business Process Querying. In A. Barros, A. Gal, E. Kindler (Eds.), *Business Process Management* (Vol. 7481, pp. 246–261).
- [86] Yang, X., Lu, J., Xu, R., Pan, G., Liu, J. (2006). A Reuse-Oriented Process Component Representation Framework. In *Software Engineering Research and Practice* (pp. 156–162).
- [87] Yu, C., Wu, G., Yuan, M. (2005). Business process modeling based on workflow model reuse. In *International Conference on Services Systems and Services Management, 2005. ICSSSM '05.* (Vol. 2, pp. 951 – 954 Vol. 2).
- [88] Yuan, D., Wang, H. (2007). A Process-semantic Repository for Automatic Workflow Modeling in Web Service Environment. In *11th International Conference on Computer Supported Cooperative Work in Design, CSCWD 2007*, (pp. 806–811).
- [89] Zaaboub Haddar, N., Makni, L., Ben Abdallah, H. (2012). Literature review of reuse in business process modeling. *Software & Systems Modeling*: 1–15.
- [90] Zemni, M., Hadj-Anouane, N. B., Yeddes, M. (2012). Privacy-Preserving Business Process Fragmentation for Reusability. In *9th International Conference on Web Services (ICWS)* (pp. 659–661).
- [91] Zhuge, H. (2002). A process matching approach for flexible workflow process reuse. *Information & Software Technology*, 44(8): 445–450.
- [92] Zlatkin, S., Kaschek, R. (2005). Towards Amplifying Business Process Reuse. In J. Akoka, S. Liddle, I.-Y. Song, M. Bertolotto, I. Comyn-Wattiau, W.-J. Heuvel, H. Mayr (Eds.), *Perspectives in Conceptual Modeling* (Vol. 3770, pp. 364–374).